

# APA - Fifth Example

WEBSITES  
(See Note)

# Layout of Slides

- Slide 1 – Type of Citation
- Slide 2 – Pictures of Source
- Slide 3 – Rules, Step by Step
- Slide 4 – Picture with Step Circled
- Slide 5 – Citation, Piece by Piece
- Repeated Until Citation Complete
- More Examples Follow



## Anemia

- ▶ [What is anemia?](#)
- ▶ [What can cause low iron levels?](#)
- ▶ [How is anemia diagnosed?](#)
- ▶ [Can anemia be prevented?](#)
- ▶ [How is anemia treated?](#)
- ▶ [How can I increase the iron in my diet?](#)
- ▶ [Can iron pills cause problems?](#)

## Anemia: When Low Iron Is the Cause

### What is anemia?

Anemia occurs when your blood doesn't have enough hemoglobin. Hemoglobin is a protein in your red blood cells that carries oxygen from your lungs to the rest of your body. A common cause of anemia is not having enough iron. (Your body needs iron to make hemoglobin.)

[Printer-friendly version](#)

[Email this article](#)

**ESP** [Spanish / Español](#)

[Return to top](#)

### Symptoms of anemia

- Often, no symptoms
- Paleness
- Feeling tired
- Unusual shortness of breath during exercise
- Fast heartbeat
- Cold hands and feet
- Brittle nails
- Headaches

### More Information

[Conditions A to Z Home Page](#)

[Pregnancy: Taking Care of You and Your Baby](#)

[Ulcers](#)

- Start slowly. Try taking 1 pill a day for 3 to 5 days, then 2 pills a day until you aren't bothered by that amount. Increase the number of pills until you're taking the amount your doctor recommended.
- Increase the fiber in your diet if you have constipation. This is worth trying, even though fiber may get in the way of how well your body can absorb iron. You'll still be able to absorb some iron, and it's better than not taking any iron if you need it.
- Don't take iron pills at bedtime if they upset your stomach.
- If one type of iron pill causes problems, talk to your doctor about trying a different formula or brand.

[Return to top](#)

[Written by familydoctor.org editorial staff.](#)

### Source

American Academy of Family Physicians

Reviewed/Updated: 8/06  
Created: 1996

This article provides a general overview on this topic and may not apply to everyone. To find out if this article applies to you and to get more information on this subject, talk to your family doctor.

[Copyright](#) © 1996-2006 [American Academy of Family Physicians](#)  
For private, noncommercial use only.  
[Home](#) | [Privacy Policy](#) | [Contact Us](#) | [About This Site](#) | [What's New](#)

[Printer-friendly version](#)

[Email this article](#)

**ESP** [Spanish / Español](#)

# Basic Website - Note

- In the new edition, there is no longer a section on “Internet documents”.
- For online versions of print sources, use the print rules and add a “Retrieved from” line at the end.
- The closest type to a “found it on the web” source is like a report (7.03).
- The key parts are: Author, Year, Title & Publisher or Retrieval Information.
- Use 7.11 for Newsgroups, Lists, & Blogs.

# Basic Website – Step 1

## Author/Authors

- In Order Given, Not A-B-C Order
- Last Names and Initials Only
- Use “&” for “and” (Above the “7” Key)
  - Example: Johnson, P., & Smith, T.
- If More Than 8 Authors, List the First 6, “...” and then Last Author.
- Group Authors Are NOT Reversed
- If None Listed, Skip. (Not all are signed).



- Start slowly. Try taking 1 pill a day for 3 to 5 days, then 2 pills a day until you aren't bothered by that amount. Increase the number of pills until you're taking the amount your doctor recommended.
- Increase the fiber in your diet if you have constipation. This is worth trying, even though fiber may get in the way of how well your body can absorb iron. You'll still be able to absorb some iron, and it's better than not taking any iron if you need it.
- Don't take iron pills at bedtime if they upset your stomach.
- If one type of iron pill causes problems, talk to your doctor about trying a different formula or brand.

[Return to top](#)

[Written by familydoctor.org editorial staff.](#)

 [Printer-friendly version](#)  
 [Email this article](#)  
**ESP** [Spanish / Español](#)

### Source

[American Academy of Family Physicians](#)

Reviewed/Updated: 8/06  
Created: 1996

This article provides a general overview on this topic and may not apply to everyone. To find out if this article applies to you and to get more information on this subject, talk to your family doctor.

Copyright © 1996-2006 [American Academy of Family Physicians](#)  
For private, noncommercial use only.  
[Home](#) | [Privacy Policy](#) | [Contact Us](#) | [About This Site](#) | [What's New](#)

# Website Citation – Step 1

American Academy of Family Physicians.

First Line – Normal

Each Line After – Tab or Indent

(Roughly 5 Spaces)



# Basic Website – Step 2

## Date of Website


- Use Most Recent Date
  - Look For Date Updated
  - If Not There, Use Date Created
  - Give Full Date, As Much As There Is
  - Year First, Then Month and Date (If Given)
- Use Caution With “Copyright” or ©
  - Often Is Date for Whole Site, Not Page

- Start slowly. Try taking 1 pill a day for 3 to 5 days, then 2 pills a day until you aren't bothered by that amount. Increase the number of pills until you're taking the amount your doctor recommended.
- Increase the fiber in your diet if you have constipation. This is worth trying, even though fiber may get in the way of how well your body can absorb iron. You'll still be able to absorb some iron, and it's better than not taking any iron if you need it.
- Don't take iron pills at bedtime if they upset your stomach.
- If one type of iron pill causes problems, talk to your doctor about trying a different formula or brand.

[Return to top](#)

[Written by familydoctor.org editorial staff.](#)

 [Printer-friendly version](#)

 [Email this article](#)

**ESP** [Spanish / Español](#)

### Source

American Academy of Family Physicians

Reviewed/Updated: 8/06  
Created: 1996

This article provides a general overview on this topic and may not apply to everyone. To find out if this article applies to you and to get more information on this subject, talk to your family doctor.

Copyright © 1996-2006 [American Academy of Family Physicians](#)  
For private, noncommercial use only.  
[Home](#) | [Privacy Policy](#) | [Contact Us](#) | [About This Site](#) | [What's New](#)

# Website Citation – Step 2

American Academy of Family Physicians.  
(2006, August).

First Line – Normal

Each Line After – Tab or Indent

(Roughly 5 Spaces)

# Basic Website – Step 3

## Title of Website

- Give Full Title & Use Italics
- Capitalize Only: First word, Proper Nouns, and After a Colon
  - Example: *Fun places to visit in Chicago*
- Look at Site And Top of the Browser
  - See Example – Both are Circled



## Anemia

- ▶ [What is anemia?](#)
- ▶ [What can cause low iron levels?](#)
- ▶ [How is anemia diagnosed?](#)
- ▶ [Can anemia be prevented?](#)
- ▶ [How is anemia treated?](#)
- ▶ [How can I increase the iron in my diet?](#)
- ▶ [Can iron pills cause problems?](#)

## Anemia: When Low Iron Is the Cause

### What is anemia?

Anemia occurs when your blood doesn't have enough hemoglobin. Hemoglobin is a protein in your red blood cells that carries oxygen from your lungs to the rest of your body. A common cause of anemia is not having enough iron. (Your body needs iron to make hemoglobin.)

- [Printer-friendly version](#)
- [Email this article](#)
- [Spanish / Español](#)

[Return to top](#)

### Symptoms of anemia

- Often, no symptoms
- Paleness
- Feeling tired
- Unusual shortness of breath during exercise
- Fast heartbeat
- Cold hands and feet
- Brittle nails
- Headaches

### More Information

[Conditions A to Z Home Page](#)

[Pregnancy: Taking Care of You and Your Baby](#)

[Ulcers](#)



# Website Citation – Step 3

American Academy of Family Physicians.  
(2006, August). *Anemia: When low  
iron is the cause.*

First Line – Normal

Each Line After – Tab or Indent  
(Roughly 5 Spaces)

# Basic Website – Step 4

## URL/Website Address

- Date is Only Given for Wikis or Changing Content (not shown here)
- Give the Exact URL That You Used
  - Not – <http://www.fish.org>
  - Yes – <http://www.fish.org/biglie2.html>
- REMOVE Automatic Blue Underlines
  - Not – <http://www.lsu.edu/library/>
  - Yes – <http://www.lsu.edu/library/>



# familydoctor.org

SEARCH



[Advanced Search](#)



- HOME
- CONDITIONS A TO Z**
- SMART PATIENT GUIDE
- HEALTHY LIVING
- OTC GUIDE
- WOMEN
- MEN
- PARENTS & KIDS
- SENIORS
- ABOUT THIS SITE

familydoctor.org Home > [Conditions A to Z](#) > Anemia

## Anemia

- ▶ [What is anemia?](#)
- ▶ [What can cause low iron levels?](#)
- ▶ [How is anemia diagnosed?](#)
- ▶ [Can anemia be prevented?](#)
- ▶ [How is anemia treated?](#)
- ▶ [How can I increase the iron in my diet?](#)
- ▶ [Can iron pills cause problems?](#)

## Anemia: When Low Iron Is the Cause

### What is anemia?

Anemia occurs when your blood doesn't have enough hemoglobin. Hemoglobin is a protein in your red blood cells that carries oxygen from your lungs to the rest of your body. A common cause of anemia is not having enough iron. (Your body needs iron to make hemoglobin.)

[Printer-friendly version](#)

[Email this article](#)

[Spanish / Español](#)

[Return to top](#)

### More Information

[Conditions A to Z Home Page](#)

[Pregnancy: Taking Care of You and Your Baby](#)

[Ulcers](#)

### Symptoms of anemia

- Often, no symptoms
- Paleness
- Feeling tired
- Unusual shortness of breath during exercise
- Fast heartbeat
- Cold hands and feet
- Brittle nails
- Headaches

# Website Citation - Completed

American Academy of Family Physicians.  
(2006, August). *Anemia: When low iron is the cause*. Retrieved from  
<http://familydoctor.org/009.xml>

First Line – Normal

Each Line After – Tab or Indent  
(Roughly 5 Spaces)

# Websites: Another Example

Kessy, S. S. A., & Urio, F. M. (2006). *The contribution of microfinance institutions to poverty reduction in Tanzania* (Research Report No. 06.3). Retrieved from Research on Poverty Alleviation website:  
[http://www.repoa.or.tz/documents  
\\_storage/Publications/Reports/06.3  
\\_Kessy\\_and\\_Urio.pdf](http://www.repoa.or.tz/documents_storage/Publications/Reports/06.3_Kessy_and_Urio.pdf)

Slides Created  
October 13-26, 2006

Last Updated  
August 19, 2009

Please note that these are basic examples. There are many different types of resources. Check with the manual, your professor, or a librarian if you have any questions.